Prescription Restriction Programs and MTF Lock-in PDTS Edit

MTF Prescription Restriction Program: Summary

- MTF Prescription Restriction Program: PDTS tool for restricting patients who have been identified as high risk by allowing MTF. The following restriction options are available:
  - All drugs restricted to specific pharmacy(s) and/or provider(s)
  - Only Controlled meds restricted to a specific provider(s)
  - Controlled meds or specific non-controlled meds from mail order or retail pharmacy

- Limitation:
  - Currently, restricting controlled medications to a specific provider(s) AND pharmacy(s) is not an available option

MTF Prescription Restriction Program: Summary

- Process begins with the MTF provider or pharmacy and requires communication with the TMA Pharmacy Operations Center (POC).

- Modifications and removal of restrictions are determined by the MTF and must be communicated to the TMA POC.
  - Example: medically retired

Community-Based WTU (CBWTU's) Prescription Restriction Program:

- Tailored to meet the needs of CBWTU's by working with network retail pharmacies
  - Response to challenges with policy implementation and case management/pharmacist support

- Forms for both Prescription Restriction Programs are available at http://pec.ha.osd.mil/pdts/pdts_mtfs.php

MTF Lock-in Edit: What is it?

- MTF Lock-in edit:
  - PDTS warning that is triggered by patient restrictions established through Prescription Restriction Programs and is intended to communicate the type of restriction

- Currently, PDTS does not provide warnings to MTF providers or pharmacy staff when a prescription conflicts a patient's restriction.

- For patients with restrictions established through Prescription Restriction Programs:
  - MTF:
    - PDTS will return a warning message to AHLTA and CHCS if an unauthorized provider and/or pharmacy attempts to prescribe/dispense a medication
    - Lock-in warnings at MTFs can be overridden by the provider and pharmacy
  - Retail and Mail Order pharmacies:
    - PDTS will continue to return rejections to the pharmacy and the prescription will not process
    - Lock-in rejections at retail and mail order pharmacies can not be overridden by the pharmacy

MTF Lock-in Edit: Scenario and messaging

- Patient RESTRICTED to Prescriber A for all medications

```
Conflict:  LOCKED-IN
Ordered Drug:  LISINOPRIL (ZESTRIL EQ)--PO 2.5MG TAB
Comments:
Additional Information:
PRESCRIBER NOT AUTHORIZED FOR THIS BENEFICIARY.  PHARMACY ONLY, FOR
QUESTIONS CALL 1-866-275-4732 OR DSN (312) 471-8274 OPTION 8.
[PRESS RETURN TO CONTINUE]
```

The TMA POC toll free and DSN numbers are listed in the warning if detailed information on the restriction is required (e.g. the approved provider, pharmacy, etc.).

AHLTA: Providers are presented with clinical reasons for not overriding the warning

DoD Pharmacoeconomic Center
www.pec.ha.osd.mil

MTF Lock-in Edit: Variations in message

Restriction (Scenario)	Message
PHARMACY (RESTRICTED to TMC #9 Pharmacy and attempts filling RX at Main Pharmacy)	**PHARMACY NOT AUTHORIZED FOR THIS BENEFICIARY.** Pharmacy ONLY, for questions, call 1-866-275-4732 or DSN (312) 471-8274 OPTION 8.
PRESCRIBER (RESTRICTED to Dr. X and Dr. Y prescribes a medication)	**PRESCRIBER NOT AUTHORIZED FOR THIS BENEFICIARY…**
PRESCRIBER for only controls (RESTRICTED to Dr. X for controls and Dr. Y prescribes Percocet)	**PRESCRIBER/DRUG NOT AUTHORIZED FOR THIS BENEFICIARY…**
PRESCRIBER and PHARMACY (RESTRICTED to Dr. X and Main Pharmacy)	**Receive two messages: PHARMACY NOT AUTHORIZED… PRESCRIBER NOT AUTHORIZED…**

MTF Lock-in Edit: What do I need to do?

- Identify the impact of these warnings on local processes:
  - if and how the Lock-in edit fits into existing local sole provider and related processes.
  - how the pharmacy staff, operations, and work flow should handle these warnings.

- To restrict patients (including retirees, spouses, etc):
  - MTFs must go through the MTF Prescription Restriction process with the TMA POC to establish restrictions for specific patients.

- To obtain details on an existing restriction that generated a Lock-in warning:
  - Contact the TMA POC at 1-866-275-4732 or DSN (312) 471-8274, option 8

MTF Lock-in Edit: When and How will this be implemented?

CHCS:

- The MTF Lock-in edit is a part of CHCS Change Package (CP) 362 and was released on 2/21/11.

- The CP must be loaded in order to receive Lock-in warnings.

PDTS:

- June (estimated timeline): The Lock-in edit will be turned on for the sites currently participating in the MTF Prescription Restriction Program through coordination with the Service Consultants.

- The Lock-in edit will be turned on for all MTF sites after experience with the sites mentioned above.

How do I learn more about the MTF Lock-in or MTF Prescription Restriction Program?

Additional information on both topics is available at
http://pec.ha.osd.mil/pdts/pdts_mtfs.php

MTF Lock-in Edit educational materials:

• focus on the prescription restriction program and intended meaning of the warning messages

• do not focus on incorporation into local processes

Contact the TMA POC at 1-866-275-4732 OR DSN (312) 471-8274 OPTION 8